EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(switch and (encipher$3 or decipher$3 or cryptograph$7) and (rotat$3 or shift$3)).clm. and @ay="2001"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 15:16
L2	0	(switch and (encipher$3 or decipher$3 or cryptograph$7) and (rotat$3 or shift$3)).clm. and @ay="2000"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/06 15:16
S1	33028	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229. ccls. or 380/2,225,257,259,264. ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 12:56
S2	13954	S1 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:40
S3	369061	(terminal or computer) with (switch$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:13
S4	525	S3 and ((connector or port) with (id or address or identif$7) with (key or encipher$3 or encrypt$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:14
S5	133	S4 and (encipher$3 or encrypt$3) with (input or key board or (key adj$1 code))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:15
S6	58	S5 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:15
S7	24	S6 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:15
S8	16	S7 and ((rout$3 or identify$3) with (data or input or destination or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:24

S9	1	S8 and (kvm or (keyboard with video with mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:12
S10	128323	((serial adj$1 number) or (identifier or identification)) with (key or encrypt$3 or encipher$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:29
S11	2532	S10 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:25
S12	57	S11 and (kvm or (keyboard with video with mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:51
S13	34	S12 and ((serial adj$1 number) or (identifier or identification)) with (encrypt$3 or encipher$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:33
S14	1	S13 and ((kvm or (keyboard with video with mouse)) with switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:28
S15	466	((kvm or (keyboard with video with mouse)) with switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:28
S16	104	S15 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:29
S17	2	S16 and ((serial adj$1 number) or (identifier or identification)) with (encrypt$3 or encipher$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:25
S18	355	(identifier or address) with (connector or port) with (encipher $3 or encrypt$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:33
S19	94	S18 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:39

S20	129119	(rout$3 with data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S21	38	S20 and (intermediate adj connector)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S22	0	S21 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S23	16	S21 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:42
S24	1	S23 and S10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S25	162	S15 and connector	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:42
S26	20	S25 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:47
S27	2	S26 and (encrypt$3 or encipher $3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:43
S28	31	(kvm adj switch) and (encrypt$3 or encipher$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:47
S29	4	S28 and @ad< "20021130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:53
S30	1370	(switch with (address or identifier) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:53

S31	912	S30 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:53
S32	29	S31 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:05
S33	5622	(gateway with rout$3) with (data or packet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:06
S34	46	S33 and (gateway with (public adj key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:08
S35	13	S34 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:23
S36	28	S33 and (gateway with (private adj key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:08
S37	9	S36 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:08
S38	1427	(public adj key) with (identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:23
S39	415	S38 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:23
S40	14	S39 and (kvm)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:24
S41	279	S39 and ((serial adj$1 number) or (identifier or identification)) with (encrypt$3 or encipher$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:25

S42	42	S41 and ((data or packet) with (rout$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:30
S43	197	(us$3 or utiliz$3) with (identifer or (serial adj number)) near (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:32
S44	0	S43 and S16	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:32
S45	96	S43 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:36
S46	0	S45 and ((gateway or connector) with (rout$3)) with (data or packet))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:33
S47	209	kvm adj switch	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:36
S48	209	S47 and 2ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S49	31	S48 and (kvm near (connector or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S50	24	S49 and ((connector or port) with (id or identifier or identification or (serial adj$1 number)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:41
S51	6	S50 and (encrypt$3 or encipher$3 or cryptograph$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S52	34	S47 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:41

S53	5	S52 and (kvm near (connector or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S54	0	S53 and (encrypt$3 or encipher$3 or cryptograph$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S55	1	S52 and (encrypt$3 or encipher$3 or cryptograph$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:40
S56	265352	((connector or port) with (address or id or identifier or identification or serial adj$1 number)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:42
S57	102040	S56 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:41
S58	1825	S57 and ((encrypt$3 or encipher $3 or cryptograph$7) with (address or id or identifier or identification or serial adj$1 number)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:43
S59	1285	S58 and (gateway or switch or router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:43
S60	386	S59 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:44
S61	197	S60 and terminal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:44
S62	2	"6308239".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:22
S63	2	"6407773".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 17:22

S64	3677	(rotat$3 or encrypt$3 or encipher$3) with (identifier or identification) with (number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:45
S65	33028	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:18
S66	13954	S65 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:22
S67	163	S64 and S66	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:41
S68	42	switch with (us$3) with (id or identification or address) with (encipher$3 or encrypt$3) with (packet or data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:44
S69	12	S68 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:45
S70	42	gateway with (us$3) with (id or identification or address) with (encipher$3 or encrypt$3) with (packet or data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:44
S71	2882	(rotat$3 or encrypt$3 or encipher$3) with (port) with (number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:46
S72	9	S70 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:46
S73	1131	S71 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:53
S74	0	(rotat$3 or shift) adj by adj (port) with (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:47

S75	0	(rotat$3 or shift) adj by adj (port or connector) with (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:47
S76	0	(rotat$3 or shift) adj by adj (port or connect$3) with (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:48
S77	0	(rotat$3 or shift) adj by adj (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:48
S78	205	S73 and shift	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:49
S79	76	S73 and (shift with data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:52
S80	8	(shift$3 or rotat$3) with by with (id or identifier or identification or (serial adj number))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:56
S81	0	S80 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:53
S82	79	380/258.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:57
S83	38	380/56-57.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:11
S84	22	(smart adj card) with (identifier) with (encrypt$3 or encipher) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:12
S85	1	S84 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:12

S86	151	(smart adj card) with (identifier or (serial adj$1 number)) with (encrypt$3 or encipher) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:12
S87	59	S86 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:17
S88	2998	(gateway or switch) with (port or address) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:17
S89	1596	S88 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:17
S90	70	S89 and S65	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 20:18
S91	9	("5721842" or "6473811" or "6557170" or "5675653").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 16:32
S92	1	"7039810".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:23
S93	16622	(port or address or switch) with (number or id or identification) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:24
S94	38649	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:24
S95	14619	S94 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:57
S96	59	S95 and (switch with (shared with (node or computer or device)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:25

S97	6	S96 and (private with (computer or node or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:32
S98	304346	switch$3 with terminal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:33
S99	157603	S98 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:34
S100	11	S99 and (private adj (computer or node or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:35
S101	10	S99 and (kvm adj switch$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S102	274	(kvm adj switch$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 14:00
S103	0	S102 and (private adj (computer or node))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S104	7	S102 and (private with (computer or node))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S105	0	S104 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S106	38	S102 and @ad< "20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 14:03
S107	1	S106 and (encipher$3 or encrypt $3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:39

S108	2845	switch with (remote or shared) with computer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:56
S109	1423	S108 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:56
S110	2	S109 and (private adj computer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:56
S111	38	380/56-57.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:59
S112	28	725/150.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:59
S114	155	710/73.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 14:04
S115	939	(kvm or (keyboard with video with mouse)) and ((address$3 or id or identification or serial) with (key or encipher$3 or encrypt$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:12
S116	309	S115 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:33
S117	25	S116 and (rotat$3 or shift$3) with (bit or byte)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:20
S118	0	395/311.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:46
S119	105	key with ((port or connector) adj (id or identification))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:57

S120	32	S119 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:00
S121	127	key with ((hardware) adj (id or identification))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:57
S122	28	S121 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:00
S123	84	rotat$3 with bit with encrypt$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:00
S124	47	S123 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:02
S125	37	(kvm adj switch) and (encrypt$3 or encipher$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:02
S126	1	S125 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:02
S127	8	("5721842" or "6557170" or "7039810" or "6473811").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 16:37
S128	402	kvm with switch	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 08:38
S129	40	S128 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:36
S130	1	S129 and (encrypt$3 or encipher$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 08:39

S131	40216	(port or address) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:32
S132	40	S129 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:58
S133	9926	S131 and (encrypt$3 or encipher $3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:33
S134	2671	S133 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:33
S135	5	710/62-67,73.ccls. and S134	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:39
S136	751	(remote with desktop) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:39
S137	152	S136 and (encrypt$3 or encipher $3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:56
S138	56	S137 and S131	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 10:39
S139	362	(port adj1 (number or identifier or address)) with (us$3) with (key or rotat$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 11:57
S140	96	S139 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 12:11
S141	97	(encrypt$3 or encipher$3) with (rotat$3) with bit	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 12:11

S142	51	S141 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 12:11
S143	3110	(terminal with (encrypt$3 or encipher$3) with (transmission or communication))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:14
S144	1107	S143 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:17
S145	42415	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:15
S146	181	S144 and S145	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:17
S147	0	S146 and (kvm or (keyboard adj1 video adj1 mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:16
S148	129	S145 and (kvm or (keyboard adj1 video adj1 mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:16
S149	45	S148 and ((encrypt$3 or encipher $3) with (message or packet or transmission))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:16
S150	13	S149 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 14:17
S151	232	switch with (encrypt$3 or encipher $3) with (transmission)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:47
S152	109	S151 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:08

S153	0	(remote adj1 desktop) with (encrypt$3 or encipher$3) with (transmission)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:47
S154	13	(remote adj1 desktop) with (encrypt$3 or encipher$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:47
S155	0	S154 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:47
S156	6212	709/217,219.ccls. and @ad<"20021130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:53
S157	1209	S156 and (encrypt$3 or encipher $3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:54
S158	206	S157 and (key with (mac or address or identifier))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:02
S159	86	S158 and switch	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 11:58
S160	12	S158 and (kvm or (keyboard with video with mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:07
S161	1144	(kvm or (keyboard adj2 video adj2 mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:07
S162	211	S161 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:11
S163	4	("7039810" or "5898837").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 12:11

S164	11	("5721842" or "5432850" or "6557170" or "6473811" or "7039810").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/05/11 17:04
S165	15098	(713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:00
S167	545	(kvm or (keyboard adj video adj mouse)) with switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:23
S168	43	S167 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 16:59
S169	42	((port adj (id or identifier)) with key) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:10
S170	112	(default adj position) near (switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:10
S171	39	S170 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:13
S172	0	(kvm with switch) near (private adj (computer or workstation)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:14
S173	0	((kvm with switch) near (reserv$1 adj (computer or workstation))) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:21
S174	1	((switch) near (reserv$1 adj (computer or workstation))) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:21
S175	0	((switch) near (private adj (computer or workstation))) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/29 17:21

S176	293	(private adj1 computer) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 09:46
S177	12	switch with (default adj (status or connection)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 09:46
S178	825	((choos$3 or select$3) with (default) with (printer or computer or workstation)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:48
S179	290	((connect$3) with (default) with (printer or computer or workstation)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:44
S180	4023	((default) with (printer or computer or workstation)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:44
S181	1	S180 and (kvm with switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 14:44
S182	15101	(713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229. ccls. or 380/2,225,257,259,264. ccls. or 370/351-357,360.ccls.) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:31
S183	8411	S182 and switch$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:00
S184	581	S183 and ((encrypt$3 or encipher $3) with (number or identifer or port or connector))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:08
S185	383	S184 and ((key) with (number or identifer or port or connector))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:12
S186	55	S185 and ((rotat$3 or shift$3 or shuffl$3) with (number or identifer or port or connector))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 16:35

S187	87	380/258.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:33
S188	204	380/255.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:39
S189	226	713/150.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 15:39
S190	801	((rotat$3 or shift$3 or shuffl$3) with (encrypt$3 or encipher$3)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 10:49
S191	372	S190 and ((rotat$3 or shift$3 or shuffl$3) with (number or identifer or port or connector))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 16:35
S192	3232	((prevent$3) with (erron$5 or accident$5) with (transfer$4 or receipt or receiv$3 or send$3)) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:10
S193	1204	S192 and switch$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:10
S194	9	S193 and S182	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:15
S195	754	380/28.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:24
S196	57	S191 and S195	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:16
S197	545	(kvm or (keyboard adj video adj mouse)) with switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:24

S198	92	S197 and (encrypt$3 or encipher $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:24
S199	1	S198 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 17:24
S200	2	"5898837".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 12:06
S201	2	"7039810".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 12:07
S202	20989	switch and ((port or connect$3) adj (number or identifer))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 10:49
S203	15101	(713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229. ccls. or 380/2,225,257,259,264. ccls. or 370/351-357,360.ccls.) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:27
S204	989	S202 and S203	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 10:50
S205	238	S204 and (rotat$3 or shift$3 or shuffl$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 11:06
S206	2341	S203 and (rotat$3 or shift$3 or shuffl$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 11:06
S207	727	S206 and ($2crypt$3 or $2cipher $3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:26
S208	1858	(switch$3) with (default) with (setting or connection or computer or terminal or workstation)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 16:26

S209	605	S208 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 17:01
S210	96	710/37.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 17:01
S211	16726	(ip or network) adj1 address and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 13:48
S212	594	S211 and (address with ram)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 13:48
S213	15259	(713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 13:48
S214	120	S212 and S213	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/22 13:48
S215	16798	(ip or network) adj1 address and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 09:18
S216	595	S215 and (address with ram)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 09:18
S217	15332	(713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.) and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 09:18
S218	121	S216 and S217	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 09:18
S219	3	"7003612".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 09:21

S220	2	"4181936".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 10:33
S221	0	S216 and kvm	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 11:22
S222	28	S215 and kvm	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 11:22

8/6/2008 3:18:03 PM
C:\ Documents and Settings\ ppich\ My Documents\ EAST\ Workspaces\ 09878336.wsp